

10/691328

COZC

Practitioner's Docket No. MSU 4.1-643**PATENT****IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Patent Number: 7,250,523

Issued: July 31, 2007

Name of Patentee: Aaron L. Odom and James T. Ciszewski

Title of Invention: IMIDO-TETHERED CARBENES OF MOLYBDENUM FOR RING-OPENING METATHESIS POLYMERIZATION AND RING-CLOSING METATHESIS

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
MAR 13 2008

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR PTO MISTAKE (37 C.F.R. § 1.322(a))

NOTE: "If such a request for correction was incurred through the fault of the United States Patent and Trademark Office (Office), and is clearly disclosed in the records of the Office, and is accompanied by documentation that unequivocally supports the patentee's assertion(s), a Certificate of Correction will be expeditiously issued. Such supporting documentation can consist of relevant photocopied receipts, manuscript pages, correspondence dated and received by the Office, photocopies of Examiners' responses regarding entry of amendments, or any other validation that supports the patentee's request so that the request can be processed without the patent file." Notice of September, 17, 2002, 1262 OG 96.

1. Attached is PTO/SB/44 (also FORM PTO/1050) in a form suitable for printing.

NOTE: Form PTO-1050 (or PTO/SB/44), using the column and line number in the printed patent, should be used exclusively regardless of the length or complexity of the subject matter. M.P.E.P. § 1485, 8th ed., Rev. 2.

NOTE: The patent grant should be retained by the patentee. The PTO does not attach the certificate of correction to the patentee's copy of the patent. The patent grant will be returned to the patentee if submitted. M.P.E.P. § 1485, 8th ed., Rev. 2.

2. The exact page and line number where the errors are shown correctly in the application file are:

NOTE: The exact page and line number where the errors occur in the application file should be identified on the request. However, on form PTO/SB/44, only the column and line number in the printed patent should be used. M.P.E.P., § 1485, 8th Edition, Rev. 2.

Column 10, line 1 (**Page 16, line 3**), "M=N-R' site" should be -M=N-R site-.

Column 17, line 54 (**Page 27, line 8**), "6.75 (d," should be -6.75 (t,-.

Column 26, lines 19 and 21 (**Page 39, line 17 & 18**), "THE" should be -THF-.

Column 26, lines 36 and 37 (**Claim 1, line 2**), "to the N to provide" should be -to the M to provide-.

Column 26, line 43 (**Claim 1, line 9**), "N is selected" should be -M is selected-.

Column 32, line 7 (**Claim 44, line 19**), "and dime is dimethoxymethane" should be -and dme is dimethoxymethane-.

RECEIVED-PTO
PATENT PUBLICATION

MAR 13 2008

3. Please send the Certificate to:

Name: Ian C. McLéod

Address: IAN C. McLEOD, P.C.

2190 Commons Parkway, Okemos, Michigan 48864

(complete, if applicable)

Signature(s) of patentee(s)

or

(type or print name of assignee)

☐ Assignment recorded on


Signature of assignee or person authorized to sign on behalf of assignee

Ian C. McLeod

(type or print name of authorized person signing)

Reel _____

Frame _____

Attorney of Record

Title of authorized person signing

☐ Recordal of assignment attached

☐ Attached is a "STATEMENT UNDER 37 CFR 3.73(b)," establishing the right of the assignee to take action in this case.

NOTE: "A certificate of correction, under 35 U.S.C. 254, may be issued at the request of the patentee or [the patentee's] assignee." 37 C.F.R. § 1.322(a). The certificate of correction can be signed by the attorney of record who acts on behalf of the inventor(s) or assignee(s).

(Request for Certificate of Correction of Patent For PTO Mistake [14-1]—page 2 of 2)

RECEIVED-18779
PATENT DIVISION

MAR 13 2008

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,250,523

DATED : July 31, 2007

INVENTOR(S): Aaron L. Odom and James T. Ciszewski

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10, line 1, "M=N-R' site" should be -M=N-R site-.

Column 17, line 54, "6.75 (d," should be -6.75 (t,-.

Column 26, lines 19 and 21, "THE" should be -THF-.

Column 26, lines 36 and 37, "to the N to provide" should be -to the M to provide-.

Column 26, line 43, "N is selected" should be -M is selected-.

Column 32, line 7, "and dime is dimethoxymethane" should be -and dme is dimethoxymethane-.

MAILING ADDRESS OF SENDER (Please do not use customer number

PATENT NO. 7,250,523

Ian C. McLeod
IAN C. McLEOD, P.C.
2190 Commons Parkway
Okemos, Michigan 48864

No. of additional copies



RECEIVED UNITED
PATENT OFFICE

MAR 13 2008

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,250,523

DATED : July 31, 2007

INVENTOR(S): Aaron L. Odom and James T. Ciszewski

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10, line 1, "M=N-R' site" should be -M=N-R site-.

Column 17, line 54, "6.75 (d," should be -6.75 (t,-.

Column 26, lines 19 and 21, "THE" should be -THF-.

Column 26, lines 36 and 37, "to the N to provide" should be -to the M to provide-.

Column 26, line 43, "N is selected" should be -M is selected-.

Column 32, line 7, "and dime is dimethoxymethane" should be -and dme is dimethoxymethane-.

MAILING ADDRESS OF SENDER (Please do not use customer number

PATENT NO. 7,250,523

Ian C. McLeod
IAN C. McLEOD, P.C.
2190 Commons Parkway
Okemos, Michigan 48864

No. of additional copies

RECEIVED
MAR 13 2008